


PERFORMANCE DATA

Size (Inches)	Ak	Velocity (FPM)							
			200	300	400	500	600	700	800
8 x 8	.44	CFM	90	130	180	220	265	310	350
		PL	.08	.17	.30	.47	.68	.93	1.2
14 x 6	.55	CFM	110	165	220	275	330	385	440
		PL	.07	.16	.30	.46	.65	.90	1.2
12 x 8	.64	CFM	130	190	255	320	385	450	510
		PL	.07	.16	.29	.45	.64	.88	1.1
14 x 8	.74	CFM	150	220	295	370	445	520	590
		PL	.07	.16	.28	.44	.63	.87	1.1
20 x 6	.78	CFM	155	235	310	390	470	545	625
		PL	.07	.16	.28	.44	.62	.86	1.1
12 x 12	.93	CFM	185	280	370	465	560	650	745
		PL	.07	.15	.27	.43	.61	.84	1.1
30 x 6	1.12	CFM	225	335	450	560	670	785	895
		PL	.07	.15	.26	.42	.60	.82	1.1
16 x 12	1.19	CFM	240	360	475	595	715	835	950
		PL	.07	.15	.26	.41	.59	.81	1.1
18 x 12	1.33	CFM	265	400	530	665	800	930	1065
		PL	0.7	.15	.26	.41	.58	.88	1.0
20 x 12	1.46	CFM	290	440	585	730	875	1020	1170
		PL	.06	.15	.26	.40	.58	.79	1.0
16 x 16	1.54	CFM	310	460	615	770	925	1080	1230
		PL	.06	.14	.25	.40	.57	.78	1.0
24 x 12	1.75	CFM	350	525	700	875	1050	1225	1400
		PL	.06	.14	.25	.39	.56	.77	1.0
18 x 18	1.95	CFM	390	585	780	975	1170	1365	1560
		PL	.06	.14	.25	.39	.55	.76	.99
30 x 12	2.17	CFM	435	650	870	1085	1300	1520	1740
		PL	.06	.14	.25	.38	.54	.75	.98
20 x 20	2.42	CFM	485	730	970	1210	1450	1690	1940
		PL	.06	.14	.24	.38	.54	.74	.97
24 x 18	2.55	CFM	510	765	1020	1275	1530	1785	2040
		PL	.06	.14	.24	.37	.53	.73	.96
30 x 18	3.23	CFM	650	970	1290	1620	1940	2260	2580
		PL	.06	.13	.23	.36	.51	.71	.93
24 x 24	3.40	CFM	680	1020	1360	1700	2040	2380	2720
		PL	.06	.13	.23	.36	.51	.70	.92
30 x 24	4.18	CFM	840	1250	1670	2090	2510	2930	3340
		PL	.06	.13	.22	.35	.50	.68	.89
30 x 30	5.15	CFM	1030	1550	2580	3090	3610	3610	4120
		PL	.05	.12	.34	.48	.66	.66	.66



NOTE:
Ak: outlet area in Sq. feet.