


Linear Flow Bar Diffuser - 2 Slot

Material: Extruded aluminum construction
Mounting: Surface or Lay-in T-bar ceiling.
 Plaster-in Frame (Tape & Spackle)



ALF20 / ALF27 / ALF28
 (ALF27 shown here)



ALF20
without pattern-control damper



ALF27
with high-flow slider



ALF28
with jet-flow baffles

Mounting		
<input type="checkbox"/> -P Plaster-In Frame	<input type="checkbox"/> -E Surface Mounting	<input type="checkbox"/> -T T-Bar mounting
Fastening Method		
<input type="checkbox"/> -1 No Fastening	<input type="checkbox"/> -3 Mounting Hole	<input type="checkbox"/> -4 Concealed

Option LS
Optional Return Hood/Light Shield Model

-LS

Finish	
<input type="checkbox"/> /W White (Default)	<input type="checkbox"/> /C Custom (Please Specify)



✓	Slot Width	B	W	C	E	H
	1"	4 7/8"	5 15/16"	1 1/2"	0"	2 1/4"
	1 1/2"	6 7/8"	7 15/16"	1 1/2"	1/4"	3 1/4"
	2"	8 7/8"	9 15/16"	1 3/4"	1/2"	4 1/4"
	2 1/2"	10 7/8"	11 15/16"	1 3/4"	3/4"	5 1/4"
	3"	12 7/8"	13 15/16"	1 3/4"	1"	6 1/4"

Schedule type: _____

Job: _____

Architect: _____

Engineer: _____

Contractor: _____